PRESENTED AT

Texas Water Law Institute

October 28*, 29-30, 2015 Austin, Texas

Groundwater-Surface Water Interaction: Implications for Groundwater Planning and Management

William R. Hutchison, Ph.D., P.E., P.G.

Author Contact Information: William R. Hutchison, Ph.D., P.E., P.G. Independent Groundwater Consultant <u>billhutch@texasgw.com</u> 512.745.0599

The University of Texas School of Law Continuing Legal Education • 512.475.6700 • utcle.org

Groundwater-Surface Water Interaction: Implications for Groundwater Planning and Management

William R. Hutchison, Ph.D., P.E., P.G. billhutch@texasgw.com

Table of Contents

List o	f Figures	2
List o	f Tables	2
1.0	Introduction	3
2.0	Hydrogeologic Concepts	4
2.1	Regional Inflow/Outflow Relationships	4
2.2	Gaining and Losing Streams	6
2.3	Groundwater Flow Models and Groundwater Budgets	8
2.4	Yield Concepts	9
2.5	Discussion	. 10
3.0	Induced Recharge Example – Hueco Bolson	. 11
3.1	Location and Geology	. 11
3.2	Previous Studies of Groundwater-Surface Water Interaction	. 12
3.3	USGS Numerical Model	. 13
3.4	Quantifying Induced Recharge in Hueco Bolson	. 13
3.5	Rio Grande Alluvium Groundwater Flow to and from Hueco Bolson	. 18
4.0	Spring Flow Reduction Example – San Felipe Springs	. 20
4.1	Data Evaluation	. 20
4.2	Historic Groundwater Budget of Val Verde County	. 22
4.3	Simulations of Peninsula Well Field	. 24
4.4	Val Verde County Groundwater-Surface Water Interaction	. 29
4.5	General Analysis of Impacts of Pumping	. 31
5.0	Recommendations	. 34
6.0	References	. 35

List of Figures

Figure 1.	Groundwater System Prior to Development	4
Figure 2.	Groundwater System after Initial Pumping	5
Figure 3.	Groundwater System under Continued Pumping – New Equilibrium Condition	5
Figure 4.	Groundwater System under Additional Increment of Increased Pumping	6
Figure 5.	Gaining Stream Condition	7
Figure 6.	Losing Stream Condition	7
Figure 7.	Disconnected Stream Condition	8
Figure 8.	Location of Hueco Bolson	11
Figure 9.	Conceptual Model of Hueco Bolson Groundwater Flow based on Isotopic Signatures	s
•••••		14
Figure 10	. (a) Inflows to Hueco Bolson, (b) Outflows from Hueco Bolson, (c) Hueco Bolson	
Storage C	hange	17
Figure 11	. Storage Decline and Capture in the Hueco Bolson	17
Figure 12	. Location of "Urban" and "Rural" Alluvium	18
Figure 13	. Flow between Rio Grande Alluvium and Hueco Bolson in Texas and Chihuahua	19
Figure 14	. Locations of Wells and Springs Used in Model Calibration	21
Figure 15	. Hydrograph of Lake Amistad Elevation and San Felipe Spring Flow	21
Figure 16	. San Felipe Spring Flow: Peninsula Well Field Simulation (150K Simulation)	25
Figure 17	. Drawdown after 45 Years of Pumping 150,000 AF/yr, Peninsula Well Field	30
Figure 18	. Spring Flow Captured by Well Production	32
Figure 19	. River Baseflow Captured by Well Production	33

List of Tables

Table 1. Groundwater Budgets for Val Verde County for Five Time Periods	. 23
Table 2. Val Verde County Groundwater Budgets: Six Pumping Simulations, Peninsula Well	
Field	. 26
Table 3. Val Verde County Groundwater Budgets: Peninsula Well Field – Induced Inflows,	
Reduced Outflows and Storage Change Compared to Zero Pumping for Six Pumping	
Simulations	. 27
Table 4. Val Verde County Groundwater Budgets: Peninsula Well Field – Induced Inflows,	
Reduced Outflows and Storage Change as a Percentage of Pumping for Six Pumping	
Simulations	. 28

1.0 Introduction

Groundwater management combines elements of the hydrogeology of an area, and the legal and institutional framework of the state and region. Texas groundwater law and the statutory framework to manage groundwater are The preferred method for unique. groundwater management is locally groundwater organized conservation districts.



Groundwater planning and management

must consider two hydrologic facts: (1) aquifer characteristics and uses vary greatly across the state and often across a district, and (2) the political boundary of a groundwater conservation district does not necessarily coincide with groundwater flow and the effects of groundwater pumping.

In 2005, the Texas legislature addressed these hydrologic management and planning issues by creating a framework for groundwater planning that focuses on a more regional basis, while acknowledging the importance and responsibilities of local groundwater management by groundwater conservation districts. This groundwater management area joint planning process requires groundwater conservation districts within specified groundwater management areas to work together to develop policy goals for groundwater resources within those areas.

The joint planning process requires that groundwater conservation districts adopt desired future conditions for the aquifers within their jurisdiction. The Texas Water Development Board then calculates the modeled available groundwater, which is the pumping that will achieve the desired future condition. Under the current process, groundwater conservation districts must consider nine factors before proposing a desired future condition. Among these factors are the impacts of the desired future condition on spring flow and other interactions between groundwater and surface water.

This paper introduces the technical aspects of groundwater-surface water interactions, and provides some examples of quantitative evaluation of impacts of increased pumping that are useful in groundwater planning and management.

2.0 Hydrogeologic Concepts

2.1 Regional Inflow/Outflow Relationships

A groundwater system is in equilibrium prior to development (prior to groundwater pumping for irrigation or other human use), as shown in Figure 1. In this condition, groundwater inflow equals groundwater outflow and no change in storage occurs over time. Inflows can include recharge from precipitation, recharge from streamflow, and inflows from adjacent basins (where applicable). Outflows can include discharge to surface water bodies (springs, streams and lakes), evapotranspiration through shallow groundwater vegetation and evaporation, and outflow to adjacent basins.



Equilibrium: Inflow = Outflow

Figure 1. Groundwater System Prior to Development (after Alley and others, 1999)

Development of groundwater resources (i.e. pumping of wells) is an additional outflow component, and results in three "impacts" to the system 1) storage decline (manifested in the form of lowered groundwater levels), 2) induced inflow (generally manifested by increased surface water recharge or increased groundwater inflow from outside the area of interest), and 3) captured natural outflow (generally manifested in decreased spring flows, decreased stream baseflow, decreased evapotranspiration, or decreased groundwater outflow outside the area of interest).

The initial response to pumping is a lowering of the groundwater level or a "cone of depression" around the well, which results in a decline in storage. The cone of depression deepens and extends radially with time. As the cone of depression expands, it causes groundwater to move toward the well thereby increasing the inflow to the area around the well. If the cone of depression extends to a stream that is in hydraulic connection with the groundwater, the stream can act as a new source of recharge. Thus, the pumped well causes "induced recharge or "induced inflow" from that stream.

The cone of depression can also cause a decrease of natural groundwater outflow from the area adjacent to the well and acts to "capture" this natural outflow. If the cone of depression extends to a spring, the flow in the spring is reduced as the pumped well captures this portion of natural outflow. If the cone of depression causes water levels to decline in an area of shallow groundwater, evapotranspiration (ET) is reduced and the pumping is said to capture the ET. At some point, the induced recharge and captured outflow (collectively the capture of the well) can cause the cone of depression to stabilize or equilibrate.

Find the full text of this and thousands of other resources from leading experts in dozens of legal practice areas in the <u>UT Law CLE eLibrary (utcle.org/elibrary)</u>

Title search: Groundwater-Surface Water Interaction: Implications for Groundwater Planning and Management

Also available as part of the eCourse <u>Answer Bar: Water Rights, Planning, and Legal Issues in Texas</u>

First appeared as part of the conference materials for the 2015 Texas Water Law Institute session "Groundwater-Surface Water Interaction: Implications for Groundwater Planning and Management"